

What is the state of health and vulnerability in Sierra Leone

Dr. Yusupha Dibba MMSc-GHD candidate



Burden of Disease 1990 – 2010



Sierra Leone in Numbers

Sierra Leone


Other Low-Income Countries

51.3

Life Expectancy

63.6

Life Expectancy





Causes of Premature Death

1990 2010

- 1. Malnutrition
- 2. Malaria
- 3. Lower Respiratory Infections
- 4. Diarrheal Diseases
- 5. Pre-term Birth Complications
- 6. Meningitis
- 7. Neonatal Encephalopathy
- 8. Iron-Deficiency Anemia
- 9. Measles
- 10. Neonatal Sepsis

- 1. Malaria
- 2. Malnutrition
- 3. Lower Respiratory Infections
- 4. Pre-term Birth Complications
- 5. Diarrheal Diseases
- 6. Meningitis
- 7. HIV/AIDS
- 8. Neonatal Encephalopathy
- 9. Neonatal Sepsis
- 10. Tuberculosis






Maternal & Child Health



Lifetime Risk for Women



Source: WHO, UNICEF, UNFPA, World Bank Group & UNPD 2015



Facility-Based Delivery



Source: Sierra Leone DHS 2013






Quality of Maternal Care

IN JUNE **2016**, ONLY 2 OUT OF 78 HEALTH FACILITIES ASSESSED MET THE CRITERIA TO PROVIDE BASIC OR COMPREHENSIVE EMERGENCY OBSTETRIC AND NEWBORN CARE (EMONC).





Facility Improvement Team (FIT) Assessments measure the ability of health facilities to provide EmONC.



Tuberculosis/MDR-TB










1/3 of cases of TB in the community are undetected







Only 13% of health facilities can offer TB diagnosis and treatment











Of those 13% of facilities, only 1 in 3 have functional TB microscopy





8_X

8x increase in confirmed MDR-TB cases in 2017 alone





HIV/AIDS



HIV Prevalence

1.7% HIV prevalence

54,427 people living with HIV

54% are women

increase in co-infection with syphilis ('06-'10)



Source: DHS 2013



39.7% commercial sex work

15.6% discordant couples

15.1% persons with multiple sexual partners

10.8% fishermen

Other% other (miners, transporters, traders, inj. drug users, etc.)





Malaria



#1

cause of premature death in Sierra Leone






43%

of children under five have malaria parasites







1/3 deaths of children under 5 are attributed to malaria






Malnutrition



Prevalence of U5 Stunting

PREVALENCE OF UNDER-5 STUNTING (%)



Source: UNICEF/WHO/WB 2014.





Human Resources for Health



Per 500,000, there are...

nine doctors




National Average





Per 500,000, there are...

thirty nurses



National Average

